

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO MIX TTU

TTUXXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare TTU311

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.007	.009	.011	.013	.015	.017	.019	.021
2-4	(50-102)	10°	107	109	111					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221
6-8	(152-203)	30°	307	309	311	313	315	317	319	321
8-10	(203-254)	40°		409	411	413	415	417	419	421
10-12	(254-305)	50°		509	511	513	515	517	519	521
12-14	(305-356)	60°		609	611	613	615	617	619	621
14-16	(356-406)	70°			711	713	715	717	719	721
16-18	(406-457)	80°					815	817	819	821
18-20	(457-508)	90°						917	919	921



UGELLO MIX BNK

BNKXXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare BNK311

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.007	.009	.011	.013	.015	.017	.019	.021
2-4	(50-102)	10°	107	109	111					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221
6-8	(152-203)	30°	307	309	311	313	315	317	319	321
8-10	(203-254)	40°		409	411	413	415	417	419	421
10-12	(254-305)	50°		509	511	513	515	517	519	521
12-14	(305-356)	60°		609	611	613	615	617	619	621
14-16	(356-406)	70°			711	713	715	717	719	721
16-18	(406-457)	80°					815	817	819	821
18-20	(457-508)	90°						917	919	921

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO BRZ

BRZ4

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare BRZ311
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angle	.007-03	.009-04	.011-06	.013-09	.015-12	.017-14	.019-18	.021-20
2-3	(50-90)	20° - 034	207	209	211	213		217		
3-5	(90-130)	25° - 054	2507	2509	2511	2513			2519	
5-7	(130-170)	30° - 074	307	309	311	313	315	317	319	321
7-8	(170-220)	40° - 094		409	411	413	415	417	419	421
8-10	(220-270)	50° - 114		509	511	513	515	517	519	521
10-11	(270-290)	55° - 134		5509	5511	5513	5515	5517	5519	5521
11-12	(290-320)	60° - 154		609	611	613	615	617	619	621
12-14	(320-370)	70° - 174			711	713	715	717	719	721
14-14	(370-450)	80° - 194								821

UGELLO BRZ

BRZ2

Esempio: Per un ugello con foro .012mm e angolo 30° ordinare BRZ312
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angle	.008-03	.010-04	.012-06	.014-09	.016-12	.018-14	.020-18	.022-20
2-3	(50-90)	20° - 032	208	210	212	214		218		
3-5	(90-130)	25° - 052	2508	2510	2512	2514			2520	
5-7	(130-170)	30° - 072	308	310	312	314	316	318	320	322
7-8	(170-220)	40° - 092		410	412	414	416	418	420	422
8-10	(220-270)	50° - 112		510	512	514	516	518	520	522
10-11	(270-290)	55° - 132		5510	5512	5514	5516	5518	5520	5522
11-12	(290-320)	60° - 152		610	612	614	616	618	620	622
12-14	(320-370)	70° - 172					716	718	720	722
14-14	(370-450)	80° - 192								822

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO MIX GWN
GWNXXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare GWN311
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.007	.009	.011	.013	.015	.017	.019	.021
2-4	(50-102)	10°	107	109	111					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221
6-8	(152-203)	30°	307	309	311	313	315	317	319	321
8-10	(203-254)	40°		409	411	413	415	417	419	421
10-12	(254-305)	50°		509	511	513	515	517	519	521
12-14	(305-356)	60°		609	611	613	615	617	619	621
14-16	(356-406)	70°			711	713	715	717	719	721
16-18	(406-457)	80°					815	817	819	821
18-20	(457-508)	90°						917	919	921

UGELLO MIX GWN2
GWN2XXX

Esempio: Per un ugello con foro .010mm e angolo 30° ordinare GWN2310
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.008	.010	.012	.014	.016
4-6	(102-152)	20°	208	210	212		
6-8	(152-203)	30°	308	310	312		
8-10	(203-254)	40°	408	410	412	414	416
10-12	(254-305)	50°		510	512	514	516
12-14	(305-356)	60°		610	612	614	616
14-16	(356-406)	70°		710	712	714	716

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO MIX GNN

GNNXXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare GNN311

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.007	.009	.011	.013	.015	.017	.019	.021
2-4	(50-102)	10°	107	109	111					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221
6-8	(152-203)	30°	307	309	311	313	315	317	319	321
8-10	(203-254)	40°		409	411	413	415	417	419	421
10-12	(254-305)	50°		509	511	513	515	517	519	521
12-14	(305-356)	60°		609	611	613	615	617	619	621
14-16	(356-406)	70°			711	713	715	717	719	721
16-18	(406-457)	80°					815	817	819	821
18-20	(457-508)	90°						917	919	921



UGELLO MIX GN2 CON PREATOMIZZATORE

GN2XXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare GN2310

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.008	.010	.012	.014	.016
4-6	(102-152)	20°	208	210	212		
6-8	(152-203)	30°	308	310	312		
8-10	(203-254)	40°	408	410	412	414	416
10-12	(254-305)	50°		510	512	514	516
12-14	(305-356)	60°		610	612	614	616
14-16	(356-406)	70°		710	712	714	716

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO MIX WGM

WGMXXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare WGM311

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.007	.009	.011	.013	.015	.017	.019	.021
2-4	(50-102)	10°	107	109	111					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221
6-8	(152-203)	30°	307	309	311	313	315	317	319	321
8-10	(203-254)	40°		409	411	413	415	417	419	421
10-12	(254-305)	50°		509	511	513	515	517	519	521
12-14	(305-356)	60°		609	611	613	615	617	619	621
14-16	(356-406)	70°			711	713	715	717	719	721
16-18	(406-457)	80°					815	817	819	821
18-20	(457-508)	90°						917	919	921



UGELLO MIX WGM2

WGM2XXX

Esempio: Per un ugello con foro .010mm e angolo 30° ordinare WGM2310

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.008	.010	.012	.014	.016
4-6	(102-152)	20°	208	210	212		
6-8	(152-203)	30°	308	310	312		
8-10	(203-254)	40°	408	410	412	414	416
10-12	(254-305)	50°		510	512	514	516
12-14	(305-356)	60°		610	612	614	616
14-16	(356-406)	70°		710	712	714	716

MISTO ARIA - MISURE UGELLI DISPONIBILI



UGELLO MIX OPN
OPNXXX

Esempio: Per un ugello con foro .028mm e angolo 30° ordinare OPN328
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	0.18 0.007	0.23 .009	0.28 0.011	0.33 0.013	0.38 0.015	0.43 0.017	.048 0.019	.053 0.021
4-6	(102-152)	20°	218	223	228	233	238	243	248	253
6-8	(152-203)	30°	318	323	328	333	338	343	348	353
8-10	(203-254)	40°	418	423	428	433	438	443	448	453
10-12	(254-305)	50°	518	523	528	533	538	543	548	553
12-14	(305-356)	60°	618	623	628	633	638	643	648	653



UGELLO MIX ON
ONXXX

Esempio: Per un ugello con foro .028mm e angolo 30° ordinare ON328
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	0.18 0.007	0.23 .009	0.28 0.011	0.33 0.013	0.38 0.015	0.43 0.017	.048 0.019	.053 0.021
4-6	(102-152)	20°	218	223	228	233	238	243	248	253
6-8	(152-203)	30°	318	323	328	333	338	343	348	353
8-10	(203-254)	40°	418	423	428	433	438	443	448	453
10-12	(254-305)	50°	518	523	528	533	538	543	548	553
12-14	(305-356)	60°	618	623	628	633	638	643	648	653

AIRLESS - MISURE UGELLI DISPONIBILI



UGELLO ST
STXXX

Esempio: Per un ugello con foro .011mm e angolo 30°, ordinare ST311
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	A°	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049	.051	.053	.055	.063	.065
2-4	(50-102)	10°	107	109	111	113	115	117																					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221	223	225																	
6-8	(152-203)	30°	307	309	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	341	343								
8-10	(203-254)	40°	407	409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449	451	453	455	463	465
10-12	(254-305)	50°		509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	547	549	551	553	555	563	565
12-14	(305-356)	60°		609	611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	647	649	651	653	655	663	665
14-16	(356-406)	70°				713	715	717	719	721	723	725	727	729	731	733	735	737	739	741	743	745	747	749	751	753	755	763	765
16-18	(406-457)	80°				813	815	817	819	821	823	825	827	829	831	833	835	837	839	841	843								
18-20	(457-508)	90°						917	919	921	923	925	927	929	931	933	935	937	939	941	943								



UGELLO STANDARD FINE FINISH
STFXXX

Esempio: Per un ugello con foro .011 e angolo 30° ordinare STF311
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	A°	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049	.051	.053	.055	.063	.065
2-4	(50-102)	10°	107	109	111	113	115	117																					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221	223	225																	
6-8	(152-203)	30°	307	309	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	341	343								
8-10	(203-254)	40°	407	409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449	451	453	455	463	465
10-12	(254-305)	50°		509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	547	549	551	553	555	563	565
12-14	(305-356)	60°		609	611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	647	649	651	653	655	663	665
14-16	(356-406)	70°			711	713	715	717	719	721	723	725	727	729	731	733	735	737	739	741	743	745	747	749	751	753	755	763	765
16-18	(406-457)	80°			811	813	815	817	819	821	823	825	827	829	831	833	835	837	839	841	843								
18-20	(457-508)	90°						917	919	921	923	925	927	929	931	933	935	937	939	941	943								

AIRLESS - MISURE UGELLI DISPONIBILI



UGELLO STANDARD FINE FINISH

FFXXX

Esempio: Per un ugello con foro .010 e angolo 30° ordinare FF310
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angle	.008	.010	.012	.014	.016	.018	.020	.022	.024	.026	.028	.030	.032
2-4	(50-102)	10°	108	110											
4-6	(102-152)	20°	208	210	212	214	216	218			224				232
6-8	(152-203)	30°	308	310	312	314	316	318							
8-10	(203-254)	40°	408	410	412	414	416	418	420				428	430	432
10-12	(254-305)	50°	508	510	512	514	516	518	520	522			528	530	
12-14	(305-356)	60°	608	610	612	614	616	618	620	622	624	626	628		
14-16	(356-406)	70°	708	710	712	714	716	718							
16-18	(406-457)	80°	808	810	812	814	816	818	820	822	824	826	828		832
18-20	(457-508)	90°			912	914		918			924	926			



UGELLO FINE FINISH GRACO®

FIXXXX

Esempio: Per un ugello con foro .010mm e angolo 30° ordinare FIX310
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.008	.010	.012	.014	.016	.018	.020	.022	.024	.026	.028	.030	.032
2-4	(50-102)	10°	108												
4-6	(102-152)	20°	208	210	212	214	216	218			224				232
6-8	(152-203)	30°		310	312	314	316	318							
8-10	(203-254)	40°	408	410	412	414	416	418	420				428	430	432
10-12	(254-305)	50°		510	512	514	516	518	520	522			528	530	
12-14	(305-356)	60°		610	612	614	616	618	620	622	624	626			
14-16	(356-406)	70°			712	714	716	718							
16-18	(406-457)	80°				814	816	818	820	822	824	826	828		832
18-20	(457-508)	90°			912			918			924				

AIRLESS - MISURE UGELLI DISPONIBILI



UGELLO REVERSIBILE PREATOMIZZATO

FM6XXX

Esempio: Per un ugello con foro .011mm e angolo 30° ordinare FM6311

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	A°	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049	.051	.053	.055	.063	.065
2-4	(50-102)	10°		109	111	113	115	117																					
4-6	(102-152)	20°	207	209	211	213	215	217	219	221	223	225																	
6-8	(152-203)	30°	307	309	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	341	343								
8-10	(203-254)	40°	407	409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449	451	453	455		465
10-12	(254-305)	50°		509	511	513	515	517	519	521	523	525	527	529	531	533	535		539	541	543	545	547	549	551	553	555	563	565
12-14	(305-356)	60°		609	611	613	615	617	619	621	623	625	627	629	631	633	635		639	641	643	645	647	649	651	653	655	663	665
14-16	(356-406)	70°																											
16-18	(406-457)	80°				813	815	817	819	821	823	825	827	829	831	833	835		839	841	843								
18-20	(457-508)	90°						917	919	921	923	925	927	929	931	933	935		939	941	943								



UGELLO REVERSIBILE PREATOMIZZATO


FMC6XXX

Esempio: Per un ugello con foro .010mm e angolo 30° ordinare FMC6310

Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.008	.010	.012	.014	.016	.018
2-4	(5-10)	10°	108	110	112	114		
4-6	(10-15)	20°	208	210	212	214		
6-8	(15-20)	30°	308	310	312	314		
8-10	(20-25.5)	40°	408	410	412	414		
10-12	(25.5-30.5)	50°		510	512	514	516	518
12-14	(30.5-35.5)	60°			612	614	616	618

AIRLESS - MISURE UGELLI DISPONIBILI



UGELLO REVERSIBILE PER TRACCIALINEE

FMLMXXX

Esempio: Per un ugello con foro .013mm e angolo 20° ordinare FMLM213
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	Angolo	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.035
4-6	(10-15)	20°	213	215	217	219							
6-8	(15-20)	30°		315	317	319	321	323	325	327	329	331	
8-10	(20-25.5)	40°			417	419	421	423	425	427	429	431	435
12-14	(30.5-35.5)	60°					621	623	625	627	629	631	635



UGELLO REVERSIBILE RAC5

RACXXX

Esempio: Per un ugello con foro .011 e angolo 30° ordinare RACV311
Misure disponibili nella tabella sotto. Su richiesta ulteriori misure

IN	MM	A°	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049
2-4	(50-102)	10°		109	111	113	115		119															
4-6	(102-152)	20°	207	209	211	213	215	217	219	221	223	225					235							
6-8	(152-203)	30°	307	309	311	313	315	317	319	321	323	325	327		331									
8-10	(203-254)	40°		409	411	413	415	417	419	421	423	425	427	429	431	433	435	439	443		451	455		
10-12	(254-305)	50°		509	511	513	515	517	519	521	523	525	527	529	531	533	535		543		551	555	563	
12-14	(305-356)	60°		609	611	613	615	617	619	621	623	625	627	629	631	633	635			645		655		665
14-16	(356-406)	70°								721	723	725		729			735							
16-18	(406-457)	80°					815	817	819	821			827		831	833	835							
18-20	(457-508)	90°						917									935							